


WANDÖFFNUNGEN NACH DIN 18100 (TÜRBLATT DIN 18101)

Türelement gefälzt

Maße mm	Wand- öffnung Nennmaß DIN 18100	Türblatt- außenmaß DIN 18101	Zargen- falzmaß DIN 18101	Türblatt- falzmaß DIN 18101	lichtes Durchgangs- maß DIN 18101	Futterbrett- außenmaß (Fichte + Eiche teilmassiv + 6 mm) E	Bekleidungsaußenmaß				
							60	65	70	75	80
							F	F	F	F	F
Breite 1flg.	635	610	591	584	570	614	712	722	732	742	752
	760	735	716	709	695	739	837	847	857	867	877
	885	860	841	834	820	864	962	972	982	992	1002
	1010	985	966	959	945	989	1087	1097	1107	1117	1127
	1135	1110	1091	1084	1070	1114	1212	1222	1232	1242	1252
	1260	1235	1216	1209	1195	1239	1337	1347	1357	1367	1377
Breite 2flg.	1260	2 x 610	1191	1184	1169	1213	1312	1322	1332	1342	1352
	1510	2 x 735	1441	1434	1419	1463	1562	1572	1582	1592	1602
	1760	2 x 860	1691	1684	1669	1713	1812	1822	1832	1842	1852
	2010	2 x 985	1941	1934	1919	1963	2062	2072	2082	2092	2102
Höhe	2005	1985	1981	1972	1970	1993	2040	2045	2050	2055	2060
	2130	2110	2106	2097	2095	2118	2165	2170	2175	2180	2185



2flg. Türelement gefälzt

